



Steel Pipe Specification Table

		AxB	THICKNESS	AxB	THICKNESS
		28x54	1.0-3.0	42x102	1.5-3.5
		30x50	1.0-3.0	42x115	1.5-3.5
		30x60	1.2-3.5	50x62	1.5-3.5
		30x70	1.5-3.5	50x100	1.5-3.5
		30x80	1.5-3.5	50x110	1.5-3.5
		33x73	1.2-3.5	50x120	1.5-3.5
		35x53	1.0-3.5	50x150	2.0-4.5
AxB	THICKNESS	35x65	1.2-3.5	50x160	2.0-4.5
9x22	0.8-1.5	38x79	1.5-3.5	50x200	2.0-4.5
9.5x17	0.8-1.5	40x48	1.2-3.5	54x84	1.2-3.0
10.2x18.5	0.8-1.5	48x78	1.2-3.0	56.5x87.9	1.2-3.0
12x25	0.8-2.5	40x70	1.5-3.5	57x87	1.5-3.5
14x37	1.8-2.5	40x80	1.5-3.5	58x118	1.5-3.5
15x30	0.8-2.5	40x90	1.5-3.5	60x86	1.5-3.5
16x32	0.8-2.5	40x97	1.5-3.5	60x110	1.5-3.5
20x35	0.8-2.5	40x100	1.5-3.5	60x120	1.5-3.5
20x40	0.8-3.0	40x137	1.5-3.5	62x96	1.5-3.5
20x60	1.0-3.0	40x120	1.5-3.5	62x212	2.0-4.5
25x40	0.8-3.0	40x190	2.0-4.5	60x180	2.0-4.5
25x50	1.0-3.0	41.3x63.5	1.5-3.5	60.5x91.9	2.0-4.5
25x80	1.2-3.0	41.6x70	1.5-3.5		
		OD	THICKNESS	OD	THICKNESS
		26.8	0.8-3.0	48	1.0-3.5
		27	0.8-3.0	50	1.0-3.5
		27.5	0.8-3.0	50.8	1.2-3.5
		28	0.8-3.0	54	1.2-3.5
		28.6	0.8-3.0	55	1.2-3.5
		29	0.8-3.0	56	1.2-3.5
		29.5	0.8-3.0	57	1.2-3.5
OD	THICKNESS	30	0.8-3.0	60	1.2-3.5
12	0.5-1.5	31.6(OOPENING)	0.8-3.0	61.5	1.2-3.5
12.7	0.5-1.5	31.8	0.8-3.0	62.2	1.2-3.5
13	0.5-1.5	32	0.8-3.0	63.5	1.2-3.5
14	0.5-1.5	33	0.8-3.0	65	1.4-3.5
15	0.6-1.6	33.3	0.8-3.0	69.9	1.4-3.5
16	0.6-2.0	33.4	0.8-3.0	70	1.4-3.5
18	0.8-2.5	34	0.8-3.0	71.5	1.4-3.5
19	0.8-2.5	35	0.8-3.0	73.5	1.4-3.5
20	0.8-2.5	36	0.8-3.0	76	1.4-3.5
21.3	0.8-2.5	38	0.8-3.0	80	1.5-3.5
22	0.8-3.0	38.1	0.8-3.0	85	1.5-3.5
22.2	0.8-3.0	40	1.0-3.5	89	1.5-3.5
23.4	0.8-3.0	41.3	1.0-3.5	95	1.5-3.5
24	0.8-3.0	42	1.0-3.5	101.6	2.0-4.5
24.5	0.8-3.0	43	1.0-3.5	114	2.0-4.5
25	0.8-3.0	44	1.0-3.5	127	2.0-4.5
25.4	0.8-3.0	44.5	1.0-3.5	140.5	2.0-4.5
26	0.8-3.0	45	1.0-3.5	152.4	2.0-4.5

Standards: ASTM, DIN, JIS, GB, etc

Materials: Carbon Steel, Stainless Steel, etc



		AxB	THICKNESS	AxB	THICKNESS
		23.5x53.5	1.0-3.0	40x60	1.2-3.5
		24x53	1.0-3.0	40x70	1.4-3.5
		25x30	0.8-3.0	40x80	1.4-3.5
		25x35	0.8-3.0	40x90	1.5-3.5
		25x40	1.0-3.0	40x110	1.5-3.5
		25x50	1.0-3.0	40x120	1.5-3.5
		25x70	1.2-3.5	43.5x68.5	1.4-3.5
		25x120	1.5-3.5	45x75	1.4-3.5
AxB	THICKNESS	25.4x38.1	1.0-3.0	50x60	1.4-3.5
10x20	0.6-2.0	25.4x50.8	1.2-3.5	50x63	1.4-3.5
10x22	0.8-2.0	25.4x63.5	1.5-3.5	50x70	1.4-3.5
10x30	0.8-3.0	25.4x75	1.5-3.5	50x75	1.5-3.5
12x25	0.8-3.0	25.4x101.6	1.5-3.5	50x80	1.5-3.5
12.7x25.4	0.8-3.0	26x76	1.5-3.5	50x90	1.5-3.5
12.7x38.1	0.8-3.0	27x40	1.0-3.0	50x100	1.5-3.5
13x26	0.8-3.0	28x80	1.2-3.5	50x120	2.0-4.5
14x20	0.8-3.0	30x40	1.2-3.5	50x150	2.0-4.5
14x32	0.8-3.0	30x50	1.2-3.5	50x200	2.0-4.5
15x20	0.8-3.0	30x60	1.2-3.5	50.8x76.2	1.5-3.5
15x25	0.8-3.0	30x70	1.2-3.5	50.8x127	2.0-4.5
15x30	0.8-3.0	30x80	1.4-3.5	52x77	1.5-3.5
15x37	0.8-3.0	30x90	1.4-3.5	55x75	1.5-3.5
15x40	0.8-3.0	30x100	1.5-3.5	55x85	1.5-3.5
15x45	0.8-3.0	31.8x50.8	1.2-3.5	55x180	2.0-4.5
16x30	0.8-3.0	34x70	1.4-3.5	60x75	1.5-3.5
16x40	0.8-3.0	35x40	1.0-3.0	60x80	2.0-4.5
16x50	0.8-3.0	35x60	1.2-3.5	60x90	1.5-3.5
19x38	0.8-3.0	35x65	1.2-3.5	60x120	2.0-4.5
19.1x38.1	0.8-3.0	35.3x55.3	1.2-3.5	60x140	2.0-4.5
19.1x50.8	1.0-3.0	38x50	1.2-3.5	63x88	2.0-4.5
19.1x63.5	1.0-3.0	38x75	1.4-3.5	65x95	1.5-3.5
20x30	0.8-3.0	38x100	1.5-3.5	70x140	2.0-4.5
20x40	0.8-3.0	38.1x63.5	1.4-3.5	75x100	2.0-4.5
20x60	1.0-3.0	38.1x88.9	1.5-3.5	75x125	2.0-4.5
20x50	1.0-3.0	38.1x101.6	1.5-3.5		
21x25	0.8-3.0	40x50	1.2-3.5		
23x53	1.0-3.0				
		AxA	THICKNESS	AxA	THICKNESS
		25x25	0.8-3.0	45x45	1.2-3.5
		25.4x25.4	0.8-3.0	46.5x46.5	1.2-3.5
		26.4x26.4	0.8-3.0	47.5x47.5	1.2-3.5
		28x28	0.8-3.0	50x50	1.2-3.5
		29.2x29.2	0.8-3.0	50.8x50.8	1.2-3.5
		30x30	0.8-3.0	60x60	1.4-3.5
		31.75x31.75	1.0-3.0	63.5x63.5	1.5-3.5
AxA	THICKNESS	31.8x31.8	1.0-3.0	65x65	1.5-3.5
12.7x12.7	0.6-2.0	32x32	1.0-3.0	70x70	1.5-3.5
15x15	0.6-2.0	33x33	1.0-3.0	75x75	1.5-3.5
16x16	0.6-2.0	33.2x33.2	1.0-3.0	76x76	1.5-3.5
17.6x17.6	0.6-2.0	33.4x33.4	1.0-3.0	80x80	1.5-4.5
19x19	0.6-3.0	34.5x34.5	1.0-3.0	89x89	1.5-4.5
19.6x19.6	0.6-3.0	35x35	1.0-3.0	100x100	2.0-4.5
20x20	0.8-3.0	38x38	1.2-3.0	120x120	2.0-4.5
21x21	0.8-3.0	38.1x38.1	1.2-3.0	125x125	2.0-4.5
22x22	0.8-3.0	40x40	1.2-3.5	130x130	2.0-4.5
23.5x23.5	0.8-3.0	44x44	1.2-3.5		

Standards: ASTM, DIN, JIS, GB, etc


















Materials: Carbon Steel, Stainless Steel, etc



	AxBxR		THICKNESS		AxBxR		THICKNESS				
	32x32x8		1.0-3.0		40x140x10		1.5-3.0				
	38x38x10		1.5-3.0		44.5x50.8x12.7		1.5-3.0				
	45x45x12		1.5-3.0		44.5x101.5x12.7		1.5-3.0				
	50x50x12		1.5-3.0		50x70x12		1.5-3.0				
	60x60x12		1.5-3.0		50x100x12.5		1.5-3.0				
	40x60x12		1.5-3.0		50x110x10		1.5-3.0				
	40x80x12		1.5-3.0		50x120x12.5		1.5-3.0				
AxBxR		THICKNESS		40x100x10		1.5-3.0		50x150x12.5		2.0-4.5	
22x22x6		1.0-3.0		40x120x12.7		1.5-3.0					
	AxB		THICKNESS		AxB		THICKNESS				
	20x40		1.2-3.0		40x80		1.5-3.5				
	22.4x38.9		1.2-3.0		40.5x76		1.5-3.5				
	24x38		1.2-3.0		56.5x115		1.5-3.5				
	25x50		1.2-3.0		58x96		1.5-3.5				
	28x45		1.2-3.0		60x120		1.5-3.5				
	28x54		1.2-3.0		61x146		2.0-4.5				
	28.4x54		1.2-3.0		70x150		2.0-4.5				
AxB		THICKNESS		30x60		1.2-3.0		83x140		2.0-4.5	
16x32		1.0-3.0		38.8x89		1.5-3.5		88x144		2.0-4.5	
18.9x28.4		1.0-3.0		40x80		1.5-3.5					
	AxB		THICKNESS		AxB		THICKNESS				
	20x40		1.0-3.0		35x75		1.5-3.0				
	32x38		1.0-3.0		45x90		1.5-3.0				
	35x35		1.0-3.0		48x75.8		1.5-3.0				
	35x41		1.0-3.0		50x110		1.5-3.0				
	45x45		1.0-3.0		58x100.9		2.0-4.5				
	45x51		1.0-3.0		68x140.8		2.0-4.5				
	55x62		1.2-3.0								
	AxB		THICKNESS		AxB		THICKNESS				
	20x40		1.0-3.0		40x130		1.5-3.0				
	32x38		1.0-3.0		46x116		1.5-3.0				
	35x35		1.0-3.0		46x146		2.0-4.5				
	35x41		1.0-3.0		66x70		2.0-4.5				
	45x45		1.0-3.0								
	45x51		1.0-3.0								
	55x62		1.2-3.0								
	AxB		THICKNESS		AxBxD		THICKNESS				
	42.7		1.2-3.0		63.4x56x40		1.2-3.0				
	48.6		1.2-3.0		80.7x71x50		1.2-3.0				
	60.5		1.5-3.5		98x86x60		1.5-3.0				
76.3		1.5-3.5									
	AxB		THICKNESS		AxBxD		THICKNESS				
	40x41		1.5-3.5		40x41		1.5-3.5				
	50x69		1.5-3.5		50x69		1.5-3.5				
	64x75		1.5-3.5		64x75		1.5-3.5				
	AxB		THICKNESS		AxAxR		THICKNESS				
	76x90		1.5-3.5		50x50x40		1.5-3.5				
	AxBxCxD		THICKNESS		AxBxCxD		THICKNESS				
	60x50x30x20		1.5-3.5		60x50x30x20		1.5-3.5				

Standards: ASTM, DIN, JIS, GB, etc

Materials: Carbon Steel, Stainless Steel, etc

					
dxD	THICKNESS	AxB	THICKNESS	AxB	THICKNESS
36.4x38.1	1.2-2.5	32.35x120	2.0-3.0	58x71.5	1.5-3.5
47.9x50.1	1.2-2.5	50.8x76.2	2.0-3.0	75x99	1.5-3.5
					
AxBxC	THICKNESS	AxB	THICKNESS	AxB	THICKNESS
38x38x3.5	1.5	27.5x29	1.0-2.5	113x127	1.5-3.5
					
AxB	THICKNESS	AxB	THICKNESS	AxB	THICKNESS
90x140	2.0-4.5	42.2x73	1.5-3.5	38x55	1.5-3.0
					
AxBxC	THICKNESS	AxB	THICKNESS	AxB	THICKNESS
97x80x58	1.5-3.5	75x130	2.0-4.5	55x180	2.0-4.5
					
AxB	THICKNESS	AxD	THICKNESS	AxBxCxD	THICKNESS
36.7x63.5	1.5-3.5	47x36	1.2-3.0	62x50x52x40	1.5-3.5
					
AxBxCxD	THICKNESS	AxB	THICKNESS		
60x60x40x20	2.0	32x71	1.5-3.5		

Standards: ASTM, DIN, JIS, GB, etc

Materials: Carbon Steel, Stainless Steel, etc